Case Study 1: An Evidence-Based Practice Review Report
Theme: School (setting) based interventions for children with special educational

suggest that Mind Reading: An Interactive Guide to Emotions can significantly increase facial emotion recognition in children with ASC, with medium to large effect sizes reported. The review addresses both strengths and limitations of existing

Introduction

Mind Reading: An Interactive Guide to Emotions, available on DVD-

offices, schools or markets are shown and the user drags speech bubbles to the actor which changes their corresponding emotional state.

The Mind Reading programme incorporates an internal reinforcement system where users accrue “rewards” for successfully completing tasks and quizzes in the learning zone and game zone. The “rewards” are then used to unlock pictures (such as musical instruments or flags of the world) in the Rewards Zone. When the pictures are clicked in the Reward Zone users can see videos and additional information. There is a range of rewards that may capitalise on the special interests of children with ASC to encourage them to use the programme often.

Mind Reading has a corresponding handbook which gives comprehensive details of the programme for the facilitator and details of online help. Within the programme, there is a function called the MindReading Manager which allows the teacher/facilitator to configure the program, such as setting time limits in games and limiting emotions (for example removing the ‘romantic’ emotions for younger children). This omnipresent control also allows the teacher/parent/facilitator to monitor progress such as overall engagement with different components, lists of emotions completed and average scores.

Psychological Basis

It is generally accepted that there are six basic expressions of facial affect; happiness, surprise, fear, anger, sadness and disgust (Ekman & Friesen, 1976). It has been suggested that the ability to recognise emotions and understand mental states begins to emerge in the first year of life (Heck, et al., 2018). At around two

years old children can understand intentions (Sodian & Thoermer, 2008) and by age three typically developing children can accurately identify and label these six emotions (Iordanou & Mattock, 2021; Widen & Russell, 2003). The development of emotion recognition skills continues throughout childhood and adolescence and is an imperative component in the development of more complex social perception such as mentalising ability and Theory of Mind (TOM; Ashwin, et al.,2006) often referred to as ‘mind reading’ or ‘empathising’ (Baron-Cohen, 2002; 2003). Children with ASC have been shown to display less accuracy in their ability to identify facial expressions that convey emotion than typically developing children (Harms, et al., 2010; Paynter & Peterson, 2010; Schultz, 2005). These findings have been reported for both children with high-functioning ASC (Bal et al., 2010) and children with ASC who have a lower range of cognitive ability (Gross, 2004; Tardif, et al., 2007).

The use of computer software to deliver educational programmes for individuals with ASC is said to have a number of advantages such as individuals with ASC preferring the consistent and predictable nature of computer software which is also free from social demands. Working individually on a computer means the user can work at their own pace and that lessons can be repeated innumerable times until satisfied with outcomes (Bishop, 2003; Moore, et al., 2000)

In the Mind Reading programme, learning is based on repetition and retrieval. It is well accepted that memory performance is enhanced and maintained after repetition learning (for example Ebbinghaus’, 1964 ‘learning effect’). Karpicke and Roediger, (2008) demonstrated the critical role of retrieval in learning as it enhanced long term retention. Throughout each area in the Mind Reading programme users have an

Social exposure and interaction account for a substantial amount of implicit learning about emotion recognition thus the impact of the Covid-19 pandemic must be acknowledged. Since the onset of the pandemic, all children experienced a reduction in the number of opportunities to engage in social interactions. In addition to this,

Critical Review of the Evidence Base

Literature search

On the 16th of December 2021, a literature search was conducted using three online electronic databases: Eric (EBSCO), Web of Science and PsycINFO. The search terms are shown in table 1.

Table 1

Search Terms

autis* OR Asperger* OR ASD* OR ASC* OR HFASD OR LFASD OR "autism spectrum disorder*" OR "autism spectrum condition*" OR "pervasive development disorder*" OR PDD	OR	emotion*" OR "face*" or "facial*" OR feeling* OR "expression*" OR "emotion* recog*" OR "recognition of feel	AND	Mindread* OR Computer* OR software* OR technolog* OR "computer based" OR "computer assisted" OR "computer game*" OR intervention OR training

The initial search identified 1455 papers and imported them into a database (OneNote). Due to duplication, 1353 papers were excluded; all papers were then screened according to the exclusion criteria (see table 2). This led to the exclusion of 86 papers with 16 papers then screened for titles and abstracts. A final full-text

single case experimental designs	or correlational. Reviews, articles and meta-analyses are also excluded. Follow up studies are also excluded if they include the same sample or data set as studies already selected for the review.	effectiveness of the interventions and enable comparisons between studies using

		IV (American Psychiatric Association, 2013), ICD-10 (World Health Organization, 1992) or the older versions	
		Adults and individuals over 18 years old	
5. Type of intervention	Intervention named: ‘Mind Reading: The Interactive Guide to Emotions 1.3’ by Baron-Cohen (2003) available on CD-ROM/DVD-ROM	Studies that do not include the intervention: ‘Mind Reading: The Interactive Guide to Emotions 1.3’ by Baron-Cohen (2003)	‘Mind Reading: The Interactive Guide to Emotions 1.3’ by Baron-Cohen (2003) is the intervention of interest

Figure 1 Flow Diagram of Selection and Screening Process

Table 3

The Final Ten Studies Included in the Systematic Review

Davidson, D., Hilvert, E., Winning, A. M., & Giordano, M. (2021). Recognition of Emotions from Situational Contexts and the Impact of a Mind Reading Intervention in Children with Autism Spectrum Disorder. *Child Psychiatry and Human Development*. https://doi.org/10.1007/s10578-021-01139-0

Lacava, P., Golan, O., Baron-Cohen, S., & Smith Myles, B. (2007). *Using Assistive Technology to Teach Emotion Recognition to Students With Asperger Syndrome*. 174–181. https://doi.org/10.1177/07419325070280030601

Lacava, P. G., Rankin, A., Mahlios, E., Cook, K., & Simpson, R. L. (2010). A single case design evaluation of a software and tutor intervention addressing emotion recognition and social interaction in four boys with ASD. *Autism*, *14*(3), 161–178. https://doi.org/10.1177/1362361310362085

Lopata, C., Thomeer, M. L., Volker, M. A., Lee, G. K., Smith, T. H., Smith, R. A., Mcdonald, C. A., Rodgers, J. D., Lipinski, A. M., & Toomey, J. A. (2012). Feasibility and Initial Efficacy of a Comprehensive School-Based Intervention for High-Functioning Autism Spectrum Disorders. *Psychology in the Schools*, *49*(10), 963–974. https://doi.org/10.1002/pits.21649

functioning children with ASD.

Weinger, P. M., & Depue, R. A. (2011). Remediation of deficits in recognition of facial emotions in children with Autism spectrum disorders. *Child and Family Behavii* 30n.htts.

Weight of Evidence

The final ten studies were evaluated according to the WoE framework (Harden & Gough, 2012) which outlines three dimensions to judge the studies against:

WoE A (WoE A) which evaluates methodological soundness; the coding protocol from Gersten et al.'s (2005) was used to assess Randomised Control Trials (RCTs), group experimental designs and the quasi-experimental design study. Horner et al.'s (2005) framework was used to review the single-case experimental design studies. Full details can be found in appendices A to D.

WoE B (WoE B) considers methodological relevance in relation to the review question using the hierarchy from Petticrew and Roberts (2003).

WoE C (WoE C) assesses the relevance of the study to the review question.

Scores for each dimension were then averaged to produce a final overall WoE D (WoE D – see Table 4).

Table 4

Overall Weight of Evidence Ratings

Authors	WoE A	WoE B	WoE C	WoE D	WoE D descriptors
Davidson et al., 2021 Study 2	1	2	2	1.67	Low
Lopata et al., 2013	1	2	3	2	Medium
Lopata et al., 2019	3	3	2	2.67	High
Lopata et al., 2016	3	3	2	2.67	High
Lopata et al., 2012	3	2	2	2.34	Medium
Thomeer et al., 2011	3	2	1	2	Medium
Thomeer et al., 2015	1	3	3	2.34	Medium
Weinger & Depue, 2011	1	2	2	1.67	Low

Lacava et al., 2007	1	2	3	2	Medium
Lacava et al., 2010	1.7	2	3	2.34	Medium

studies. All of the studies included substantially more male participants than females and Lacava, et al's (2010) study included male participants exclusively.

All of the studies were conducted in the United States of America which has a different educational context and curriculum to the United Kingdom (UK). This impedes the adoption of this intervention as 'evidence based' in a UK context. However, eligibility criteria for all of the studies included in the review included a diagnosis of ASC or Pervasive Development Disorder (PDD). In each of the studies, the diagnosis was confirmed using assessments and measures which are routinely administered as part of neurodevelopmental assessments in the UK, for example the
for exam61.002 Tw . (o)10 (deO (e U)6 ()10 (om)]TJn(e)10 (nt) (c)3)16 (ni)6 (6 (l)6 (')1004 Tw oug

due to difficulties in reliably extricating effects of Mind Reading from other confounding factors such as the effect of engaging in school, or other agencies in studies with more than one school or service. One study had a Single Case design (Lacava et al., 2010). A further two studies used an RCT (Lopata et al., 2016; Thomeer et al., 2015), and one study used a Cluster Randomized Trial design (Lopata et al., 2019) which resulted in high ratings for WoE B as the study design is best placed to answer questions about effectiveness due to the high internal validity (Petticrew & Roberts, 2006). Finally, Weinger and Depue's (2011) study comprised a quasi-experimental design however it contained uneven samples and participants in each group were not matched. O

calculated effect sizes). In accordance with Cohen (1988), effect sizes in this review are interpreted as small (0.2), medium (0.5) and large (0.8). Large effect sizes were found in all but Lopata et al's (2016) study (d= 0.7). It is important to be aware that increased power is associated with within subject designs which could lead to an overestimation of the true effect size (Dunlap, et al., 1996).

Table 5

Calculated and Reported Effect Sizes

Authors	Number of participants	Measure	Source of effect size	Reported effect size	Interpretation
Lopata et al (2013)	12	CAM	d = 0.94	0.94	Large
Lopata et al (2019)					

also varied across studies, with details presented in the mapping table in Appendix A. 70% of studies employed CAM-C as an outcome measure, 10% used FRDS (Thomeer et al., 2011) and 10% used the number of correctly identified emotions (Davidson et al., 2021 study 2) as an outcome measure. Although publication biases are said to always exist in any meta-analysis (



Figure 3

Funnel Plot to Visually Inspect Publication Bias

Conclusion

The purpose of this review was to evaluate the effectiveness of Mind Reading in improving children with ASC's facial emotion recognition. The studies that were

included in this review do show that Mind Reading has a beneficial effect. This is

al., 2017; Lai et al., 2015). This does not then mean that females with ASC do not need support with social interactions or facial emotion recognition. It may be that Mind Reading is effective for use in female children or it may need to be adapted. Future research could focus on implementing Mind Reading in the UK and examining different participant characteristics such as socioeconomic status. Moreover, the research could specifically aim to recruit female participants with ASC.

Conclusion and Recommendations

Previously noted limitations of interventions that develop emotion recognition in children with ASC include that they require considerable time, resources, coordination, and expertise to implement (Lord et al., 2005; Rao et al., 2008). However, the computerized format of Mind Reading mitigates these limitations, for example the programme administers itself and does not require any additional facilitator. In addition, the cost of the programme is low making Mind Reading much more feasible than other forms of emotion recognition intervention. For this reason, Mind Reading has potential applications for children with ASC in schools (such as mainstream or special schools) and at home. Young people spend a substantial amount of their time in school surrounded by others. Ostensibly children with difficulty in emotional recognition find social interaction challenging. The school environment provides an appropriate opportunity to develop children with ASC's emotion recognition skills and Mind Reading appears to be a suitable intervention to implement. Delineating Mind Reading's effectiveness in real-life settings will be an important area for future work.

Reference List

American Psychiatric Association (2013). Diagnostic and statistical manual of mental disorders. 5th ed. Arlington, VA: American Psychiatric Association

American Psychiatric Association. (1994). Diagnostic and Statistical Manual of Mental Disorders (4th ed.).

Cohen, J. (1988). Statistical power analysis for the behavioral sciences. Hillsdale, N.J.: L. Erlbaum Associates.

Constantino, J. N., & Gruber, C. P. (2012). *Social responsiveness scale: SRS-2*. Torrance, CA: Western psychological services.

Davidson, D., Hilvert, E., Winning, A. M., & Giordano, M. (2021). Recognition of Emotions from Situational Contexts and the Impact of a Mind Reading Intervention in Children with Autism Spectrum Disorder. *Child Psychiatry and Human Development*. https://doi.org/10.1(m)-3 (pac)57 (v)1a s.(c)14 (h105.)12 78Tw 20.74 0 T

Fonagy, P., Cottrell, D., Phillips, J., Bevington, D., Glaser, D., & Allison, E. (2014). What1u

Higgins, J., & Thompson, S. (2002). Quantifying heterogeneity in a meta-analysis. *Statistics In Medicine*, *21*(11), 1539-1558. doi: 10.1002/sim.1186

Horner, R., Carr, E., Halle, J., McGee, G., Odom, S., & Wolery, M. (2005). The Use of Single-Subject Research to Identify Evidence-Based Practice in Special Education. *Exceptional Children*, *71*(2), 165-179. doi: 10.1177/001440290507100203

Hull, L., Petrides, K. V., Allison, C., Smith, P., Baron-Cohen, S., Lai, M. C., & Mandy, W. (2017). “Putting on my best normal”: Social camouflaging in adults with autism spectrum conditions. *Journal of autism and developmental disorders*, *47*(8), 2519-2534

Iordanou, C., & Mattock, K. (2021). Where the Wild Things Are: understanding of emotions in a picture book. *Education 3-13*, 1-13. doi: 10.1080/03004279.2021.1882526

Karpicke, J. D., & Roediger III, H. L. (2008). The critical importance of retrieval for learning. *science*, *319*(5865), 966-968.

Karpicke, J. D., Blunt, J. R., & Smith, M. A. (2016). Retrieval-based learning: Positive effects of retrieval practice in elementary school children. *Frontiers in Psychology*, *7*, 350.

Lacava, P. G., Rankin, A., Mahlios, E., Cook, K., & Simpson, R. L. (2010). A single case design evaluation of a software and tutor intervention addressing emotion recognition and social interaction in four boys with ASD. *Autism*, *14*(3), 161–178. https://doi.org/10.1177/1362361310362085

Lacava, P., Golan, O., Baron-Cohen, S., & Smith Myles, B. (2007). *Using Assistive Technology to Teach Emotion Recognition to Students With Asperger Syndrome*. 174–181. https://doi.org/10.1177/07419325070280030601

Lai, M. C., Lombardo, M. V., Auyeung, B., Chakrabarti, B., & Baron-Cohen, S. (2015). Sex/gender differences and autism: setting the scene for future research. *Journal of the American Academy of Child & Adolescent Psychiatry*, *54*(1), 11-24.

Lipsey, M., & Wilson, D. (1993). The efficacy of psychological, educational, and behavior10 (e A)]TJ-0.0 (l)5.9 (on)9.9 (al)6 (,)1.9 (an)10 (d) 4.18 0 (d)m4.18 n[(r)7 : (ol)6 (esc

High-Functioning Autism Spectrum Disorders. *Psychology in the Schools*, *49*(10), 963–974. https://doi.org/10.1002/pits.21649

Lopata, C., Thomeer, M. L., Volker, M. A., Nida, R. E., & Lee, G. K. (2008). Effectiveness of a manualized summer social treatment program for high-functioning children with autism spectrum disorders. *Journal of autism and developmental disorders*, *38*(5), 890-904.

Lord, C., Wagner, A., Rogers, S., Szatmari, P., Aman, M., & Charman, T. et al. (2005). Challenges in Evaluating Psychosocial Interventions for Autistic Spectrum Disorders. Journal Of Autism And Developmental Disorders, 35(6), 695-708. doi: 10.1007/s10803-005-0017-6

Marsh, A. A., & Blair, R. J. R. (2008). Deficits in facial affect recognition among antisocial populations: A meta-analysis. *Neuroscience & Biobehavioral Reviews*, *32*(3), 454-465.

Moore, D., McGrath, P., & Thorpe, J. (2000). Computer-aided learning for people with autism–a framework for research and development. *Innovations in education and training international*, *37*(3), 218-228.

Nind, M., and Wearmouth, J. (2005) A systematic review of pedagogical approaches that can effectively include children with special educational needs in mainstream classrooms with a particular focus on peer group interactive approaches London, UK. EPPI-Centre Research Evidence in Education Library

Paynter, J., & Peterson, C. (2013). Further evidence of benefits of thought-bubble training for theory of mind development in children with autism spectrum disorders. Research In Autism Spectrum Disorders, 7(2), 344-348. doi: 10.1016/j.rasd.2012.10.001

Petticrew, M., & Roberts, H. (2003). Evidence, hierarchies, and typologies: horses for courses. Journal Of Epidemiology &Amp; Community Health, 57(7), 527-529. doi: 10.1136/jech.57.7.527

Petticrew, M., & Roberts, H. (2006). Systematic reviews in the social sciences: A practical guide. Blackwell Publishing. https://doi.org/10.1002/9780470754887

Rao, P., Beidel, D., & Murray, M. (2007). Social Skills Interventions for Children with Asperger's Syndrome or High-Functioning Autism: A Review and Recommendations. Journal Of Autism And Developmental Disorders, 38(2), 353-361. doi: 10.1007/s10803-

361 ac0 3 9(S47Recme H:d7 (.)11 9 (C(6))7 (.)P10 (M)7 (ur)7 (K7 (.)a(d D)(ol)16hausc)4 (i.)2
4mme Rs Rs R Rte R(:, &;(C(4Tc -0)-10 &0)5 (Go9 (Rl)()7d9 (R14 (,n9 (Rg)8 R;)6.26.9 -)Tj
361.s12 (i)6 (o)1 (o)13
Rec21.74

and induces facial–vocal imitation in children with autism. *Journal of autism and developmental disorders*, *37*(8), 1469-1484

Thomeer, M. L., Smith, R. A., Lopata, C., Volker, M. A., Lipinski, A. M., Rodgers, J. D., McDonald, C. A., & Lee, G. K. (2015). Randomized Controlled Trial of Mind Reading and In Vivo Rehearsal for High-Functioning Children with ASD. *Journal of Autism and Developmental Disorders*, *45*(7), 2115–2127. https://doi.org/10.1007/s10803-015-2374-0

Thomeer, M., Rodgers, J., Lopata, C., McDonald, C., Volker, M., & Toomey, J. et al. (2011). Open-Trial Pilot of Mind Reading and In Vivo Rehearsal for Children With HFASD. Focus On Autism And Other Developmental Disabilities, 26(3), 153-161. doi: 10.1177/1088357611414876

Weinger, P. M., & Depue, R. A. (2011). Remediation of deficits in recognition of facial emotions in children with Autism spectrum disorders. *Child and Family*

https://educationendowmentfoundation.org.uk/public/files/Social_and_Emotional_Learning_Evidence_Review.pdf

Golan, Sinai-Gavrilov White, S., Keonig, K., & Scahill, L. (2007). Social Skills Development in Children with Autism Spectrum Disorders: A Review of the Intervention Research. Journal Of Autism And Developmental Disorders, 37(10), 1858-1868. doi: 10.1007/s10803-006-0320-x

Appendices

Appendix A: Mapping Table

Author	Country	Participants	Study Design	Intervention	Measures	Outcomes
Davidson et al. (2021 Study 2)	United States	24 aged 6-9	Quasi-experimental	Engaged in study that used Situational Emotion Task Measure then engaged in Mind Reading	Pre and post number of correctly identified emotions	The repeated measures ANOVA revealed main effects of Time of Testing, $F(1, 17) = 4.86$, $p = 0.042$, $\eta_p^2 = 0.22$, Emotion, $F(5, 85) = 3.55$, $p = 0.006$, $\eta_p^2 = 0.17$, and Intensity of Emotion, $F(1, 17) = 14.41$, $p = 0.001$, $\eta_p^2 = 0.46$. These findings were qualified by an Emotion X Time of Testing two-way interaction, $F(5, 85) = 2.35$, $p = 0.048$, $\eta_p^2 = 0.12$, and an Emotion X Intensity of Emotion interaction, $F(5, 85) = 4.47$, $p = 0.001$, η_p^2 R “ÒÂ ñ @ I— `•`½p

Author	Country	Participants	Study Design	Intervention	Measures	Outcomes
Lopata et al. (2012)	United States	12 aged 6-9	Quasi-experimental	Mind Reading	SKA CAM-C DANVA2 *SSC.* *BASC-2.*	Large effect sizes ($d \geq .80$) were obtained on SKA, (CAM-C, and broader emotion recognition skills in children's faces DANVA2 and parent ratings of skills taught in the curriculum ASC and autism symptoms. Medium effect sizes ($d \geq .50$) were obtained for teacher ratings of skills taught in the program ASC and teacher and parent ratings of broader social skills BASC-2.

						group of children with ASC who used Mind Reading (M = 15.48, SD = 2.54), these differences were not statistically significant.
Lacava, P., Golan, O., Baron-Cohen, S., & Smith Myles, B. (2007). *Using Assistive Technology to Teach Emotion Recognition to Students With Asperger Syndrome*. 174–181. https://doi.org/10.1177/07419325070280030601						
Author	Country	Participants	Study Design	Intervention	Measures	Outcomes
Lacava et al. (2010)	United States	4	Single case design	Mind Reading and tutor intervention	CAM-C	All participants improved emotion recognition tests scores from pre- to post-testing. On the CAM-C, all participants increased their scores. All participants made improvements in both basic and complex emotion recognition.
Lacava, P. G., Rankin, A., Mahlios, E., Cook, K., & Simpson, R. L. (2010). A single case design evaluation of a software and tutor intervention addressing emotion recognition and social interaction in four boys with ASD. *Autism*, *14*(3), 161–178. https://doi.org/10.1177/1362361310362085						

Appendix C: WoE A

Gersten et. al. (2005) ‘Quality indicators for group experimental and quasi-experimental research in special education’ coding protocol presents quality indicators for experimental and quasi-experimental studies for special education. The indicators are intended to be used as an organizer of critical issues for consideration in research and to evaluate the merits of a completed research report or article. Gersten et. al. (2005, p.1) ‘believe these indicators can be used widely, from assisting in the development of research plans to evaluating proposals’. The coding protocol includes both essential and desirable criteria. Gersten et al. (2005) coding protocol is employed to evaluate the description of participants, procedure for implementing the intervention, outcome measures used and how the data collected was analysed.

4. Was sufficient information given to indicate if the role of the teachers or researchers was comparable across conditions?	NA
Quality Indicators for Implementation of the Intervention and Description of Comparison Conditions	
5 . Was the intervention clearly described and specified?	Yes
6 . Was the fidelity of implementation described and assessed?	Yes
7 . Was the nature of services provided in comparison conditions described?	NA
Quality Indicators for Outcome Measures	
8 8. Were multiple measures used to provide an appropriate balance between measures closely aligned with the intervention and measures of generalized performance?	No
9. Were outcomes for capturing the interventions effect measured at the appropriate times?	Yes

Quality Indicators for Data Analysis 973.32 332iple m

2 Did the

Less than 4 = Score 1 Greater than 4 = Score 2	
Total Quality Score	1

Coding Protocol: Horner, R. H., Carr, E. G., Halle, J., McGee, G., Odom, S., & Wolery, M.(2005). The use of single-subject research to identify evidence-based practice in special education. *Exceptional Children*, 71(2), 165-179)

Lacava, P. G., Rankin, A., Mahlios, E., Cook, K., & Simpson, R. L. (2010). A single case design evaluation of a software and tutor intervention addressing emotion recognition and social interaction in four boys with ASD

Section A: Description of Participants and Setting

1. Participants are described with sufficient detail to allow others

The majority of single-subject research studies will include a baseline phase that provides repealed measurement of a dependent variable and establishes a pattern of responding that can be used to predict the pattern of future performance if introduction or manipulation of the independent variable did not occur	No
Baseline conditions are described with replicable precision	No
Section D score:	0

Section E: Experimental Control/ Internal Validity

A: Description of Participants and Settings	3	High
B: Dependent Variable	2	Medium
C: Independent Variable	2	Medium
D: Baseline	0	Low
E: Experimental control/internal validity	1	Low
F: External Validity	1	Low
G: Social Validity	3	High
Note. <1.5 is low; 1.5 – 2.4 is medium; >2.4 is high		

How to calculate Average Quality of Evidence across the Key Judgement Areas

Equation: $\frac{\Sigma}{}$

= Individual quality score for each section

= Numer of judgement areas (7)

Overall weight of evidence rating = 1.7 (Medium)

Appendix E

WoE C is a review-specific judgement about how relevant the focus of study is to the review question. The tables below illustrates the criteria by which each study was assessed and the WoE C rating

WoE C Criteria and Rationale

Criteria	WoE Rating	Descriptor	Rationale
Includes CAM-C [4]and broader measures such as those completed by parents/teachers (for example SRS-2 [5]or BASC-2[6])	1	Did not use CAM-C	The CAM-C is an adaptation of a complex emotion recognition battery for adults and is specifically employed within the Mind Reading programme to assess facial emotion recognition of children with ASC. Presently it has been reported that there is a lack of measures that evaluate outcomes of interventions, sensitive to the core features of ASCs. Recommendations to improve assessment of outcomes in ASCs include the use of multiple instruments that measure both specific and general areas of performance (Lord et al., 2005; Williams et al., 2007) and to allow ratings by multiple informants (Williams et al 2007). Which is why this criterion includes a high rating for the use of CAM-C and additional measures completed by a range of informants.
	2	Used CAM-C	
	3	Used additional measures of only the child's performance	
	4	Used additional measure completed by parents/teachers	
Examines Mind Reading exclusively	1	Used concurrent interventions	This review is looking at the effectiveness of a specific intervention. Including Mind Reading exclusively, reduces the possibility that conclusions drawn about the intervention are influences by the use of any additional interventions.
	2	Used other intervention preceding the implementation of Mind Reading	
	3	Used Mind Reading only	
Setting	1	Delivered in research setting university/college campus	To improve external validity, it is preferred for the study to be conducted in a naturalistic setting. As educational psychologists often work within education settings, setting such as schools received a higher rating.
	2	Delivered at home	

3	Delivered in school

[4] [4] The Cambridge Mindreading Face-Voice Battery for Children (CAM-C; Golan, et al., 2015)

[5] Social responsiveness scale 2 (SRS-2; Constantino & Gruber, 2012)

[6] The Cambridge Mindreading Face-Voice Battery for Children (CAM-C; Golan, et al., 2015)

Weight of Evidence C

See sample below

Author:
Davidson, et al.(2021) Study 2

Guide for weighting Low – 1- 3, Medium 4 - 6 and High 7 - 10

Appendix H

Including all ten studies:
the meta-analysis revealed a significant and large treatment effect for Mind Reading on Emotion Identification d=1.07, 95%CI [1.09,1.13]). Results revealed no significant heterogeneity in effect size across all eight studies Q=3.58, I^2=0.0%.
Egger's regression test which was not significant (p=0.144).